

Tornavida ve Allen Anahtarlar

Screwdrivers and Hex Key Wrenches

4


*Tornavidalar
Kontrol Kalemleri
Bits Uçlar ve Aparatları
Allen Anahtarlar*

*Screwdrivers
Testers
Bits
Hex Key Wrenches*



4100
Kraft Seri Düz Uçlu Tornavida
Screwdriver, Kraft, Flat


TS 59 • DIN 5264 • DIN 5265


Krom vanadyum, Krom kaplı, Ucu siyah oksit, Selüloz asetat saplı
Chrom vanadium, Chrom plated and black tips,
Cellulose acetate handle.

| KOD CODE | øDxL1 mm | ⊖ | | L mm | g | TL/Ad. | |
|--------------|----------|------|------|------|-----|--------|-------|
| | | a mm | b mm | | | | |
| 4100 17 0340 | 3x40 | 0.5 | 3 | 110 | 20 | 10 | 4.90 |
| 4100 17 0380 | 3x80 | 0.5 | 3 | 155 | 35 | 10 | 5.89 |
| 4100 17 0480 | 4x80 | 0.8 | 4 | 165 | 50 | 10 | 6.11 |
| 4100 17 4100 | 4x100 | 0.8 | 4 | 185 | 50 | 10 | 7.35 |
| 4100 17 0580 | 5x80 | 1.0 | 5.5 | 175 | 70 | 10 | 6.88 |
| 4100 17 5100 | 5x100 | 1.0 | 5.5 | 195 | 75 | 10 | 8.92 |
| 4100 17 5125 | 5x125 | 1.0 | 5.5 | 220 | 80 | 10 | 10.32 |
| 4100 17 5150 | 5x150 | 1.0 | 5.5 | 245 | 80 | 10 | 11.23 |
| 4100 17 6100 | 6x100 | 1.2 | 6.5 | 195 | 85 | 10 | 9.25 |
| 4100 17 6125 | 6x125 | 1.2 | 6.5 | 220 | 90 | 10 | 10.60 |
| 4100 17 6150 | 6x150 | 1.2 | 6.5 | 245 | 95 | 10 | 11.58 |
| 4100 17 6175 | 6x175 | 1.2 | 6.5 | 270 | 100 | 10 | 15.16 |
| 4100 17 7125 | 7x125 | 1.2 | 8 | 230 | 120 | 10 | 11.83 |
| 4100 17 7150 | 7x150 | 1.2 | 8 | 255 | 130 | 10 | 13.62 |
| 4100 17 7175 | 7x175 | 1.2 | 8 | 280 | 135 | 10 | 15.84 |
| 4100 17 8150 | 8x150 | 1.6 | 10 | 255 | 145 | 10 | 15.73 |
| 4100 17 8175 | 8x175 | 1.6 | 10 | 280 | 150 | 10 | 16.53 |
| 4100 17 8200 | 8x200 | 1.6 | 10 | 305 | 160 | 10 | 20.53 |
| 4100 17 9200 | 9x200 | 2.0 | 12 | 305 | 190 | 10 | 21.90 |
| 4100 17 1125 | 11x250 | 2.5 | 14 | 365 | 305 | 10 | 27.36 |

4100
Kraft Seri Düz Uçlu Tornavida Seti (8 Parça)
Screwdriver, Flat, Kraft Set (8 Pcs)


| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|--|-----|---------|
| 4100 00 8108 | 3x80 - 4x80 - 4x100 5x100 - 5x125 - 6x100 6x125 - 6x150 ⊖ Düz uçlu/Flat | 550 | 1 70.02 |

4100
Kraft Seri Süngüsü Uzun Düz Uçlu Tornavida
Screwdriver, Kraft, Flat, Long

Krom vanadyum, Krom kaplı, Ucu siyah oksit, Selüloz asetat saplı
Chrom vanadium, Chrom plated and black tips,
Cellulose acetate handle.


| KOD CODE | øDxL1 mm | ⊖ | | L mm | g | TL/Ad. | |
|--------------|----------|------|------|------|-----|--------|-------|
| | | a mm | b mm | | | | |
| 4100 17 3150 | 3x150 | 0.5 | 3 | 225 | 35 | 10 | 9.90 |
| 4100 17 3250 | 3x250 | 0.5 | 3 | 325 | 40 | 10 | 11.62 |
| 4100 17 4250 | 4x250 | 0.8 | 4 | 335 | 65 | 10 | 18.69 |
| 4100 17 4300 | 4x300 | 0.8 | 4 | 385 | 70 | 10 | 19.40 |
| 4100 17 5200 | 5x200 | 1.0 | 5.5 | 295 | 90 | 10 | 20.53 |
| 4100 17 5250 | 5x250 | 1.0 | 5.5 | 345 | 95 | 10 | 21.63 |
| 4100 17 5300 | 5x300 | 1.0 | 5.5 | 395 | 105 | 10 | 22.35 |
| 4100 17 5350 | 5x350 | 1.0 | 5.5 | 445 | 115 | 10 | 24.45 |
| 4100 17 6350 | 6x350 | 1.2 | 6.5 | 445 | 125 | 10 | 25.89 |
| 4100 17 6400 | 6x400 | 1.2 | 6.5 | 495 | 145 | 10 | 26.70 |
| 4100 17 6450 | 6x450 | 1.2 | 6.5 | 545 | 160 | 10 | 28.27 |
| 4100 17 1130 | 11x300 | 2.5 | 14 | 415 | 345 | 10 | 28.80 |

4100
Kraft Seri Tornavida Seti (7 parça)
Screwdriver, Kraft Set (7 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|---|-----|---------|
| 4100 00 8107 | 3x80 - 4x80 - 4x100 ⊖ 5x125 - 6x150 Düz uçlu/Flat ⊕ 4.5x80 - 6x100 Yıldız uçlu/Phillips | 445 | 1 62.01 |

4120
Kraft Seri Yıldız Uçlu Tornavida
Screwdriver, Kraft, Phillips

TS 59 • DIN ISO 8764


Krom vanadyum, Krom kaplı, Ucu siyah oksit, Selüloz asetat saplı
Chrom vanadium, Chrom plated and black tips, Cellulose acetate handle.

| KOD CODE | ødxL1 mm | + | L mm | g | | TL/Ad. |
|--------------|----------|-----|------|-----|----|--------|
| 4120 18 0360 | 3x60 | Ph0 | 135 | 30 | 10 | 6.52 |
| 4120 18 4580 | 4.5x80 | Ph1 | 165 | 55 | 10 | 9.40 |
| 4120 18 5100 | 4.5x100 | Ph1 | 185 | 55 | 10 | 10.46 |
| 4120 18 5150 | 4.5x150 | Ph1 | 235 | 60 | 10 | 12.55 |
| 4120 18 6100 | 6x100 | Ph2 | 195 | 85 | 10 | 11.36 |
| 4120 18 6150 | 6x150 | Ph2 | 245 | 95 | 10 | 13.63 |
| 4120 18 6200 | 6x200 | Ph2 | 295 | 105 | 10 | 17.71 |
| 4120 18 8150 | 8x150 | Ph3 | 255 | 150 | 10 | 21.63 |
| 4120 18 1200 | 10x200 | Ph4 | 315 | 240 | 10 | 33.54 |

4120
Kraft Seri Süngüsü Uzun Yıldız Uçlu Tornavida
Screwdriver, Kraft, Phillips, Long

Krom vanadyum, Krom kaplı, Ucu siyah oksit, Selüloz asetat saplı
Chrom vanadium, Chrom plated and black tips, Cellulose acetate handle.


| KOD CODE | øDxL1 mm | + | L mm | g | | TL/Ad. |
|--------------|----------|-----|------|-----|----|--------|
| 4120 18 5300 | 4.5x300 | Ph1 | 385 | 80 | 10 | 29.88 |
| 4120 18 5500 | 4.5x500 | Ph1 | 585 | 105 | 10 | 31.68 |
| 4120 18 6300 | 6x300 | Ph2 | 395 | 125 | 10 | 30.92 |
| 4120 18 6500 | 6x500 | Ph2 | 595 | 165 | 10 | 32.82 |


4120
Kraft Seri Yıldız Uçlu Tornavida Seti (6 parça)
Screwdriver, Kraft, Phillips, Set (6 Pcs)


| KOD CODE | İÇERİK CONTENTS | g | | TL/Ad. |
|--------------|---|-----|---|--------|
| 4120 00 8106 | 3x60 - 4.5x80 4.5x100 - 4.5x150 6x100 - 6x150 Yıldız uçlu/Phillips | 380 | 1 | 63.92 |

4110
Kraft Seri Düz Uçlu Topaç Tornavida
Screwdriver, Kraft, Stubby, Flat

TS 59 • DIN 5264 • DIN 5265


Krom vanadyum, Krom kaplı, Ucu siyah oksit, Selüloz asetat saplı
Chrom vanadium, Chrom plated and black tips, Cellulose acetate handle.

| KOD CODE | øDxL1 mm | - | | L mm | g | | TL/Ad. |
|--------------|----------|------|------|------|----|---|--------|
| | | a mm | b mm | | | | |
| 4110 17 5525 | 5.5x25 | 1 | 5.5 | 70 | 30 | 5 | 6.38 |
| 4110 17 5540 | 5.5x40 | 1 | 5.5 | 105 | 45 | 5 | 8.68 |
| 4110 17 6525 | 6.5x25 | 1.2 | 6.5 | 70 | 35 | 5 | 7.12 |
| 4110 17 6540 | 6.5x40 | 1.2 | 6.5 | 105 | 50 | 5 | 9.85 |
| 4110 17 0825 | 8x25 | 1.2 | 8 | 70 | 40 | 5 | 7.84 |
| 4110 17 0840 | 8x40 | 1.2 | 8 | 105 | 60 | 5 | 10.86 |

4130
Kraft Seri Yıldız Uçlu Topaç Tornavida
Screwdriver, Kraft, Stubby, Phillips

TS 59 • DIN ISO 8764


Krom vanadyum, Krom kaplı, Ucu siyah oksit, Selüloz asetat saplı
Chrom vanadium, Chrom plated and black tips, Cellulose acetate handle.

| KOD CODE | øDxL1 mm | + | L mm | g | | TL/Ad. |
|--------------|----------|-----|------|----|---|--------|
| 4130 18 4525 | 4.5x25 | Ph1 | 70 | 30 | 5 | 6.82 |
| 4130 18 4540 | 4.5x40 | Ph1 | 105 | 40 | 5 | 9.00 |
| 4130 18 0625 | 6x25 | Ph2 | 70 | 30 | 5 | 7.46 |
| 4130 18 0640 | 6x40 | Ph2 | 105 | 50 | 5 | 10.20 |

Tornavida Sehpası
Display Frame For Screwdrivers




Sacdan imal edilmiş, Fırın boyalı
Made from metal sheet, Electrostatic paint

| KOD CODE | ÖLÇÜ SIZE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|-------------|--|----------|---------|
| 8003 00 6270 | 550x490x250 | 3x80 - 4x80 - 5x100 6x125 - 7x125 - 6x150 8x175 - 9x200 - 11x250 S.Asetat Saplı Düz Uçlu Tornavida (5 Adet) Screwdriver Flat (5 pcs) 3x60 - 4.5x80 - 6x100 8x150 - 10x200 S.Asetat Saplı Yıldız Uçlu Tornavida(5 Adet) Screwdriver Phillips (5 pcs) | 14225 70 | 1088.85 |

Rod Seri Düz Uçlu Tornavida
Screwdriver, Rod, Flat

TS 59 • DIN 5264 • DIN 5265




Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | øDxL1 mm | - | | L mm | g | TL/Ad. | |
|--------------|----------|------|------|------|-----|--------|-------|
| | | a mm | b mm | | | | |
| 4300 17 0380 | 3x80 | 0.5 | 3 | 155 | 25 | 10 | 5.37 |
| 4300 17 0480 | 4x80 | 0.8 | 4 | 165 | 35 | 10 | 5.55 |
| 4300 17 4100 | 4x100 | 0.8 | 4 | 185 | 40 | 10 | 6.70 |
| 4300 17 5100 | 5x100 | 1.0 | 5.5 | 195 | 60 | 10 | 8.11 |
| 4300 17 5125 | 5x125 | 1.0 | 5.5 | 220 | 60 | 10 | 9.38 |
| 4300 17 6100 | 6x100 | 1.2 | 6.5 | 195 | 65 | 10 | 8.41 |
| 4300 17 6125 | 6x125 | 1.2 | 6.5 | 220 | 70 | 10 | 9.64 |
| 4300 17 6150 | 6x150 | 1.2 | 6.5 | 245 | 80 | 10 | 10.52 |
| 4300 17 7125 | 7x125 | 1.2 | 8 | 230 | 95 | 10 | 10.76 |
| 4300 17 7150 | 7x150 | 1.2 | 8 | 255 | 105 | 10 | 12.38 |
| 4300 17 8175 | 8x175 | 1.6 | 10 | 280 | 130 | 10 | 15.02 |
| 4300 17 9200 | 9x200 | 2.0 | 12 | 305 | 165 | 10 | 19.91 |
| 4300 17 1125 | 11x250 | 2.5 | 14 | 365 | 270 | 10 | 24.87 |

Rod Seri Yıldız Uçlu Tornavida
Screwdriver, Rod, Phillips

TS 59 • DIN ISO 8764



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | øDxL1 mm | + | L mm | g | TL/Ad. | |
|--------------|----------|-----|------|-----|--------|-------|
| 4320 18 0360 | 3x60 | Ph0 | 135 | 25 | 10 | 5.94 |
| 4320 18 4580 | 4.5x80 | Ph1 | 165 | 40 | 10 | 8.55 |
| 4320 18 6100 | 6x100 | Ph2 | 195 | 70 | 10 | 10.33 |
| 4320 18 8150 | 8x150 | Ph3 | 255 | 140 | 10 | 19.66 |


Rod Seri Tornavida Seti (7 Parça)
Screwdriver, Rod, Set (7 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|---|-----|---------|
| 4300 00 8107 | 3x80 - 4x80 - 4x100 5x125 - 6x150 Düz uçlu/Flat 4.5x80 - 6x100 Yıldız uçlu/Phillips | 520 | 1 56.40 |

Rod Seri Pozidriv Yıldız Uçlu Tornavida
Screwdriver, Rod, Pozidriv

TS 59 • DIN ISO 8764



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | øDxL1 mm | + | L mm | g | TL/Ad. | |
|--------------|----------|-----|------|-----|--------|-------|
| 4325 18 0360 | 3x60 | Pz0 | 135 | 25 | 10 | 6.52 |
| 4325 18 4580 | 4.5x80 | Pz1 | 165 | 40 | 10 | 9.40 |
| 4325 18 6100 | 6x100 | Pz2 | 195 | 70 | 10 | 11.36 |
| 4325 18 8150 | 8x150 | Pz3 | 255 | 140 | 10 | 21.63 |
| 4325 18 1020 | 10x200 | Pz4 | 315 | 280 | 10 | ----- |

4350

Ergonomik Seri Düz Uçlu Tornavida
Screwdriver, Ergonomic, Flat

TS 59 • DIN 5264 • DIN 5265



Krom vanadyum, Krom kaplı, Ucu siyah oksit, İki komponent saplı
Chrome vanadium, Chrom plated and black tips,
Two component handle.

| KOD CODE | ØDxL1 mm | ⊖ | | L mm | g | □ | TL/Ad. |
|--------------|-------------|---------|---------|---------|-----|----|--------|
| | | a mm | b mm | | | | |
| 4350 17 0380 | 3x80 | 0.5 | 3 | 155 | 25 | 10 | 5.89 |
| 4350 17 0480 | 4x80 | 0.8 | 4 | 165 | 40 | 10 | 6.11 |
| 4350 17 4100 | 4x100 | 0.8 | 4 | 185 | 40 | 10 | 7.35 |
| 4350 17 5100 | 5x100 | 1.0 | 5.5 | 195 | 60 | 10 | 8.92 |
| 4350 17 5125 | 5x125 | 1.0 | 5.5 | 220 | 65 | 10 | 10.32 |
| 4350 17 6100 | 6x100 | 1.2 | 6.5 | 195 | 70 | 10 | 9.25 |
| 4350 17 6125 | 6x125 | 1.2 | 6.5 | 220 | 75 | 10 | 10.60 |
| 4350 17 6150 | 6x150 | 1.2 | 6.5 | 245 | 80 | 10 | 11.58 |
| 4350 17 7125 | 7x125 | 1.2 | 8 | 230 | 100 | 10 | 11.83 |
| 4350 17 7150 | 7x150 | 1.2 | 8 | 255 | 110 | 10 | 13.62 |
| 4350 17 8175 | 8x175 | 1.6 | 10 | 280 | 140 | 10 | 16.53 |
| 4350 17 9200 | 9x200 | 2 | 12 | 305 | 180 | 10 | 21.90 |
| 4350 17 1125 | 11x250 | 2.5 | 14 | 365 | 280 | 10 | 27.36 |

4370

Ergonomik Seri Yıldız Uçlu Tornavida
Screwdriver, Ergonomic, Phillips

TS 59 • DIN ISO 58764



Krom vanadyum, Krom kaplı, Ucu siyah oksit, İki komponent saplı
Chrome vanadium, Chrom plated and black tips,
Two component handle.

| KOD CODE | ØDxL1 mm | + | L mm | g | □ | TL/Ad. |
|--------------|-------------|-----|---------|-----|----|--------|
| | | | | | | |
| 4370 18 4580 | 4.5x80 | Ph1 | 165 | 45 | 10 | 9.40 |
| 4370 18 6100 | 6x100 | Ph2 | 195 | 70 | 10 | 11.36 |
| 4370 18 8150 | 8x150 | Ph3 | 255 | 130 | 10 | 21.63 |

4350

Ergonomik Seri Tornavida Seti (7 Parça)
Screwdriver, Ergonomic Set (7 Pcs.)



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|---|-----|---|--------|
| 4350 00 8107 | 3x80 - 4x80 - 4x100 | 370 | 1 | 62.01 |
| | 5x125 - 6x150 | | | |
| | Düz uçlu/Flat 4.5x80 - 6x100 Yıldız uçlu/Phillips | | | |

4550

Elektrik Kontrol Kalemi
Voltage Tester

TS 13108




Krom vanadyum, Krom kaplı, Şeffaf selüloz asetat saplı
Chrome vanadium, Chrom plated, Transparent cellulose acetate handle

| KOD CODE | L mm | ⊖ | | L1 mm | g | □ | TL/ Ad. |
|--------------|---------|---------|---------|----------|----|----|------------|
| | | a mm | b mm | | | | |
| 4550 17 0135 | 135 | 0.5 | 3 | 60 | 20 | 10 | 7.20 |
| 4550 17 0190 | 190 | 0.8 | 4 | 100 | 35 | 10 | 9.07 |

4551

Tester Kontrol Kalemi
A/C Tester

TS 13108



Krom vanadyum, Krom kaplı, Şeffaf selüloz asetat saplı
Chrome vanadium, Chrom plated, Transparent cellulose acetate handle

| KOD CODE | L mm | ⊖ | | L1 mm | g | □ | TL/Ad. |
|--------------|---------|---------|---------|----------|----|----|--------|
| | | a mm | b mm | | | | |
| 4551 17 0190 | 190 | 0.8 | 4 | 100 | 40 | 10 | 17.72 |

4101

Süngüsü İzoleli Düz Uçlu Tornovida
Screwdriver, Electrician Blade,
Insulated, Flat

TS 59 • DIN 7437 • TS 11489



1000 V
E DIN EN 60900:2005



Krom vanadyum, Siyah oksit kaplı, PP izoleli
Chrom vanadium, Black finish, PP handle

| KOD CODE | øDxL1 mm | - | | L mm | g | □ | TL/Ad. |
|--------------|-------------|---------|---------|---------|----|----|--------|
| | | a mm | b mm | | | | |
| 4101 17 2575 | 2.5x75 | 0.4 | 2.5 | 150 | 25 | 10 | 7.31 |
| 4101 17 4100 | 4x100 | 0.8 | 4 | 185 | 40 | 10 | 9.25 |
| 4101 17 5512 | 5.5x125 | 1 | 5.5 | 220 | 70 | 10 | 12.80 |
| 4101 17 6515 | 6.5x150 | 1.2 | 6.5 | 245 | 90 | 10 | 13.93 |

4240

Değişken Uçlu Tornovida
Screwdriver - Reversible

TSEK



Krom vanadyum, Krom kaplı
Chrom vanadium, Chrom plated

| KOD CODE | øDxL1 mm | - | | L mm | g | □ | TL/Ad. |
|--------------|-------------|---------|---------|---------|----|----|--------|
| | | a mm | b mm | | | | |
| 4240 17 0680 | 6x80 | 6x1.2 | Ph2 | 175 | 80 | 10 | 10.45 |

4240

Değişken Uçlu Tornovida Takımı
Screwdriver Set - Reversible



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|--------------------|-----|---|--------|
| 4240 00 7102 | 4.5x80 - 6x80 | 105 | 1 | 19.13 |

4890

Z Tipi Tornovida
Offset Screwdriver



Krom vanadyum, Krom kaplı
Chrom vanadium, Chrom plated

| KOD CODE | øDxL mm | - | | g | □ | TL/Ad. |
|--------------|------------|---------|---------|----|----|--------|
| | | a mm | b mm | | | |
| 4890 17 7125 | 7x125 | 1.2 | 8 | 50 | 10 | 5.94 |

4121

Süngüsü İzoleli Yıldız Uçlu Tornovida
Screwdriver, Electrician Blade,
Insulated, Phillips

TS 59 • DIN ISO 8764



1000 V
E DIN EN 60900:2005



Krom vanadyum, Siyah oksit kaplı, PP izoleli
Chrom vanadium, Black finish, PP handle

| KOD CODE | øDxL1 mm | + | L mm | g | □ | TL/Ad. |
|--------------|-------------|-----|---------|----|----|--------|
| 4121 18 0360 | 3x60 | Ph0 | 135 | 25 | 10 | 8.67 |
| 4121 18 4580 | 4.5x80 | Ph1 | 165 | 45 | 10 | 11.58 |
| 4121 18 6100 | 6x100 | Ph2 | 195 | 70 | 10 | 14.11 |

4101

Süngüsü İzoleli Tornovida Seti (6 parça)
Screwdriver, Electrician Blade, Insulated Set (6 pcs)



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|----------------------|-----|---|--------|
| 4101 00 9106 | 2.5x75 - 4x100 | 335 | 1 | 68.98 |
| | 5.5x125 - 6.5x150 | | | |
| | Düz uçlu/Flat | | | |
| | 4.5x80 - 6x100 | | | |
| | Yıldız uçlu/Phillips | | | |

4500

Elektronikçi Tip (Klemens) Düz Uçlu Tornavida Electronic Screwdriver, Flat



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | øDxL1 mm | ⊖ | | L mm | g | TL/Ad. | |
|--------------|----------|------|------|------|----|--------|-------|
| | | a mm | b mm | | | | |
| 4500 17 2560 | 2.5x60 | 0.4 | 2.5 | 140 | 15 | 10 | 4.72 |
| 4500 17 2580 | 2.5x80 | 0.4 | 2.5 | 160 | 15 | 10 | 5.26 |
| 4500 17 0380 | 3x80 | 0.5 | 3 | 160 | 15 | 10 | 5.58 |
| 4500 17 3100 | 3x100 | 0.5 | 3 | 180 | 20 | 10 | 6.82 |
| 4500 17 3125 | 3x125 | 0.5 | 3 | 205 | 20 | 10 | 9.00 |
| 4500 17 3510 | 3.5x100 | 0.6 | 3.5 | 180 | 20 | 10 | 7.05 |
| 4500 17 0480 | 4x80 | 0.8 | 4 | 160 | 20 | 10 | 5.73 |
| 4500 17 4100 | 4x100 | 0.8 | 4 | 180 | 20 | 10 | 7.05 |
| 4500 17 4125 | 4x125 | 0.8 | 4 | 205 | 25 | 10 | 9.49 |
| 4500 17 4150 | 4x150 | 0.8 | 4 | 230 | 25 | 10 | 10.32 |

4520

Elektronikçi Tip (Klemens) Yıldız Uçlu Tornavida Electronic Screwdriver, Phillips



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | øDxL1 mm | + | L mm | g | TL/Ad. | |
|--------------|----------|-----|------|----|--------|-------|
| 4520 18 0360 | 3x60 | Ph0 | 140 | 15 | 10 | 5.90 |
| 4520 18 3100 | 3x100 | Ph0 | 180 | 20 | 10 | ----- |
| 4520 18 0480 | 4x80 | Ph0 | 160 | 20 | 10 | 8.48 |
| 4520 18 4100 | 4x100 | Ph0 | 180 | 20 | 10 | ----- |
| 4520 18 4150 | 4x150 | Ph0 | 230 | 25 | 10 | 11.36 |



4500

Elektronikçi Tip (Klemens) Tornavida Seti (6 Parça) Electronic Screwdriver Set (6 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|----------------------|-----|--------|
| 4500 00 8106 | 3x80 - 3x100 | 115 | 1 |
| | 3x125 - 4x150 | | |
| | Düz uçlu/Flat | | |
| | 3x60 - 4x80 | | |
| | Yıldız uçlu/Phillips | | |

4610

Ağaç Saplı Somunlu Düz Uçlu Tornavida Screwdriver, Flat, Wooden Handle

TS 59
DIN 5264 • DIN 5265



Krom vanadyum, Krom kaplı
Chrome vanadium, Chrom plated

| KOD CODE | øDxL1 mm | ⊖ | | L mm | g | TL/Ad. | |
|--------------|----------|------|------|------|-----|--------|-------|
| | | a mm | b mm | | | | |
| 4610 17 4590 | 4.5x90 | 4.5 | 0.8 | 185 | 50 | 5 | 10.26 |
| 4610 17 5510 | 5.5x100 | 5.5 | 1 | 200 | 65 | 5 | 11.95 |
| 4610 17 7125 | 7x125 | 7 | 1.2 | 235 | 115 | 5 | 14.13 |
| 4610 17 8150 | 8x150 | 10 | 1.6 | 270 | 155 | 5 | 17.63 |

4611

Ağaç Saplı Somunlu Yıldız Uçlu Tornavida Screwdriver, Phillips, Wooden Handle

TS 59 • DIN ISO 8764



Krom vanadyum, Krom kaplı
Chrome vanadium, Chrom plated

| KOD CODE | øDxL1 mm | + | L mm | L1 mm | g | TL/Ad. | |
|--------------|----------|-----|------|-------|-----|--------|-------|
| 4611 18 4580 | 4.5x80 | Ph1 | 175 | 80 | 50 | 5 | 10.46 |
| 4611 18 6100 | 6x100 | Ph2 | 210 | 100 | 90 | 5 | 12.90 |
| 4611 18 8150 | 8x150 | Ph3 | 270 | 150 | 160 | 5 | ----- |

4610

Ağaç Saplı Somunlu Tornavida Seti (6 Parça)
Screwdriver Set (6 Pcs), Wooden Handle



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|----------------|----------------------|-----|--------|
| 4610 00 8106 | 4.5x90 - 5.5x100 | 520 | 6 |
| | 7x125 - 8x150 | | |
| | Düz uçlu/Flat | | |
| 4.5x80 - 6x100 | Yıldız uçlu/Phillips | 520 | 6 |

4775

Torx® Uçlu Tornavida
Torx® Driver



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | ØDxL1 mm | T | L mm | g | TL/Ad. |
|--------------|----------|-----|------|-----|--------|
| 4775 18 0010 | 4x80 | T10 | 165 | 35 | 10 |
| 4775 18 0015 | 4x80 | T15 | 165 | 35 | 10 |
| 4775 18 0020 | 4x100 | T20 | 185 | 40 | 10 |
| 4775 18 0025 | 4.5x100 | T25 | 185 | 40 | 10 |
| 4775 18 0027 | 5x100 | T27 | 220 | 60 | 10 |
| 4775 18 0030 | 6x125 | T30 | 220 | 70 | 10 |
| 4775 18 0040 | 7x125 | T40 | 230 | 100 | 10 |
| 4775 18 0045 | 8x125 | T45 | 230 | 120 | 10 |

4776

Delikli Torx® Uçlu Tornavida
Torx® Screwdriver / tamper Resistance



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrome vanadium, Chrom plated and black tips, PP handle

| KOD CODE | ØDxL1 mm | T | L mm | g | TL/Ad. |
|--------------|----------|------|------|-----|--------|
| 4776 18 0009 | 4x60 | TR9 | 145 | 35 | 10 |
| 4776 18 0010 | 4x80 | TR10 | 165 | 35 | 10 |
| 4776 18 0015 | 4x80 | TR15 | 165 | 40 | 10 |
| 4776 18 0020 | 4x100 | TR20 | 185 | 40 | 10 |
| 4776 18 0025 | 4.5x100 | TR25 | 185 | 45 | 10 |
| 4776 18 0027 | 5x125 | TR27 | 220 | 60 | 10 |
| 4776 18 0030 | 6x125 | TR30 | 220 | 70 | 10 |
| 4776 18 0040 | 7x125 | TR40 | 230 | 100 | 10 |

4770

Lokma Uçlu Tornavida (mm)
Nut Spinner (mm)

TS 3793 • DIN 3125



Krom vanadyum, Krom kaplı, PP Saplı
Chrom vanadium, Chrom plated, PP insulated

| KOD CODE | mm | L mm | L1 mm | g | TL/Ad. |
|--------------|-----|------|-------|-----|--------|
| 4770 19 0030 | 3 | 210 | 125 | 80 | 10 |
| 4770 19 0035 | 3.5 | 210 | 125 | 80 | 10 |
| 4770 19 0040 | 4 | 220 | 125 | 80 | 10 |
| 4770 19 0045 | 4.5 | 220 | 125 | 80 | 10 |
| 4770 19 0050 | 5 | 220 | 125 | 80 | 10 |
| 4770 19 0055 | 5.5 | 220 | 125 | 80 | 10 |
| 4770 19 0060 | 6 | 220 | 125 | 80 | 10 |
| 4770 19 0070 | 7 | 230 | 125 | 100 | 10 |
| 4770 19 0080 | 8 | 230 | 125 | 110 | 10 |
| 4770 19 0090 | 9 | 230 | 125 | 115 | 10 |
| 4770 19 0100 | 10 | 230 | 125 | 115 | 10 |
| 4770 19 0110 | 11 | 230 | 125 | 130 | 10 |
| 4770 19 0120 | 12 | 230 | 125 | 135 | 10 |
| 4770 19 0130 | 13 | 230 | 125 | 140 | 10 |
| 4770 19 0140 | 14 | 230 | 125 | 140 | 10 |

4770

Lokma Uçlu Tornavida Seti (8 Parça, mm)
Nut Spinner Set (8 Pcs, mm)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|------------------------------------|------|--------|
| 4770 00 8108 | 6 - 7 - 8 - 9 - 10 11 - 12 - 13 | 2145 | 1 |



4810

Düz Bits
Flat Bit

TS 8748 • DIN 3127



Krom vanadyum
Chrom vanadium

| KOD CODE | ⊖ | L mm | g | □ | TL/Ad. |
|--------------|---------|------|----|----|--------|
| 4810 20 0645 | 0.6x4.5 | 25 | 5 | 10 | 1.29 |
| 4810 20 0855 | 0.8x5.5 | 25 | 5 | 10 | 1.29 |
| 4810 20 1265 | 1.2x6.5 | 25 | 5 | 10 | 1.29 |
| 4810 20 5645 | 0.6x4.5 | 50 | 10 | 10 | 1.85 |
| 4810 20 5855 | 0.8x5.5 | 50 | 10 | 10 | 1.85 |
| 4810 20 5265 | 1.2x6.5 | 50 | 10 | 10 | 1.85 |

4810

Düz Bits Set (25 mm)
Flat Bit Set (25 mm)



| KOD CODE | ⊖ | g | □ | TL/Ad. |
|--------------|---------|----|----|--------|
| 4810 00 0645 | 06x4.5 | 45 | 10 | 13.63 |
| 4810 00 0855 | 0.8x5.5 | 50 | 10 | 13.63 |
| 4810 00 1265 | 1.2x6.5 | 55 | 10 | 13.63 |

4820

Yıldız Bits
Phillips Bit

TS 8748 • DIN 3128



Krom vanadyum
Chrom vanadium

| KOD CODE | + | L mm | g | □ | TL/Ad. |
|--------------|-----|------|----|----|--------|
| 4820 21 0001 | Ph1 | 25 | 5 | 10 | 1.02 |
| 4820 21 0002 | Ph2 | 25 | 5 | 10 | 1.02 |
| 4820 21 0003 | Ph3 | 25 | 5 | 10 | 1.02 |
| 4820 21 0011 | Ph1 | 50 | 10 | 10 | 1.46 |
| 4820 21 0012 | Ph2 | 50 | 10 | 10 | 1.46 |
| 4820 21 0013 | Ph3 | 50 | 10 | 10 | 1.46 |

4820

Yıldız Bits Set (25 mm)
Phillips Bit Set (25 mm)



| KOD CODE | + | g | □ | TL/Ad. |
|--------------|-----|----|----|--------|
| 4820 00 0001 | Ph1 | 50 | 10 | 10.82 |
| 4820 00 0002 | Ph2 | 50 | 10 | 10.82 |
| 4820 00 0003 | Ph3 | 55 | 10 | 10.82 |

4825

Pozidriv Bits
Pozidriv Bit



Krom vanadyum
Chrom vanadium

| KOD CODE | + | L mm | g | □ | TL/Ad. |
|--------------|-----|------|----|----|--------|
| 4825 21 0001 | Pz1 | 25 | 5 | 10 | 1.02 |
| 4825 21 0002 | Pz2 | 25 | 5 | 10 | 1.02 |
| 4825 21 0003 | Pz3 | 25 | 5 | 10 | 1.02 |
| 4825 21 0011 | Pz1 | 50 | 10 | 10 | 1.46 |
| 4825 21 0012 | Pz2 | 50 | 10 | 10 | 1.46 |
| 4825 21 0013 | Pz3 | 50 | 10 | 10 | 1.46 |

4825

Pozidriv Bits Set (25 mm)
Pozidriv Bit Set (25 mm)



| KOD CODE | + | g | □ | TL/Ad. |
|--------------|-----|----|----|--------|
| 4825 00 0001 | Pz1 | 50 | 10 | 10.82 |
| 4825 00 0002 | Pz2 | 55 | 10 | 10.82 |
| 4825 00 0003 | Pz3 | 55 | 10 | 10.82 |



4

4830

Torx® Bits
Torx® Bit



Krom vanadyum
Chrom vanadium

| KOD CODE | ★ | L mm | g | □ | TL/Ad. |
|--------------|-----|------|----|----|--------|
| 4830 21 0025 | T25 | 25 | 5 | 10 | 2.54 |
| 4830 21 0027 | T27 | 25 | 5 | 10 | 2.54 |
| 4830 21 0030 | T30 | 25 | 5 | 10 | 2.54 |
| 4830 21 0040 | T40 | 25 | 5 | 10 | 2.54 |
| 4830 21 0125 | T25 | 50 | 10 | 10 | 3.19 |
| 4830 21 0127 | T27 | 50 | 10 | 10 | 3.19 |
| 4830 21 0130 | T30 | 50 | 10 | 10 | 3.19 |
| 4830 21 0140 | T40 | 50 | 10 | 10 | 3.19 |

4830

Torx® Bits Set (25 mm)
Torx® Bit Set (25 mm)



| KOD CODE | ★ | g | □ | TL/Ad. |
|--------------|-----|----|----|--------|
| 4830 00 0025 | T25 | 50 | 10 | 25.96 |
| 4830 00 0027 | T27 | 50 | 10 | 25.96 |
| 4830 00 0030 | T30 | 55 | 10 | 25.96 |
| 4830 00 0040 | T40 | 60 | 10 | 25.96 |

4780

Manyetik Bits Tutucu Tornavida (Uzun)
Screwdriver, Magnetic Bit Holder (Long)

TS 8748
DIN 3126
DIN 3127



| KOD CODE | ○ mm | L mm | L1 mm | g | □ | TL/Ad. |
|--------------|------|------|-------|-----|----|--------|
| 4780 19 6120 | 6.3 | 230 | 120 | 105 | 10 | 21.07 |



4785

Manyetik Bits Tutucu Tornavida (Kısa)
Screwdriver, Magnetic Bit Holder, (Short)

TS 8748
DIN 3126
DIN 7427



| KOD CODE | ○ mm | L mm | L1 mm | g | □ | TL/Ad. |
|--------------|------|------|-------|----|----|--------|
| 4785 19 6330 | 6.3 | 130 | 30 | 60 | 10 | 11.86 |

4790

Üniversal Bits Adaptörü (Manyetik) TS 8748 • DIN 3126 • DIN 7427
Screwdriver Universal Bit Holder (Magnetic)



| KOD CODE | ○ mm | ○ mm | L mm | g | □ | TL/Ad. |
|--------------|------|------|------|----|----|--------|
| 4790 26 6360 | 6.3 | 6.3 | 60 | 25 | 10 | 8.35 |

4800

6'lı Bits Set
Bit Set (6 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|-------------------|----|---|--------|
| 4800 00 8106 | 0.6x4.5 - 0.8x5.5 | 50 | 6 | 8.18 |
| | Ph1 - Ph2 - Ph3 | | | |
| | T27 | | | |

4800

7'li Bits Set
Bit Set (7 pcs)



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|-------------------|----|---|--------|
| 4800 00 7107 | 0.6x4.5 - 0.8x5.5 | 90 | 7 | 23.17 |
| | Ph1 - Ph2 - Ph3 | | | |
| | T27 | | | |
| | 6.3 x 6.0 Adaptör | | | |

4800

7'li Bits Set Bit Set (7 pcs)



| KOD CODE | İÇERİK CONTENTS | g | | TL/Ad. |
|--------------|-------------------|----|---|--------|
| 4800 00 7207 | 0.6x4.5 - 0.8x5.5 | 80 | 7 | 22.67 |
| | Ph1 - Ph2 - Ph3 | | | |
| | T27 | | | |
| | 6.3 x 6.0 Adaptör | | | |

4800

10'lu Bits Set Bit Set (10 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | | TL/Ad. |
|--------------|------------------------------|----|----|--------|
| 4800 00 8110 | 0.6x4.5 - 0.8x5.5 1.2x6.5 | 55 | 10 | 17.09 |
| | Ph1 - Ph2 - Ph3 | | | |
| | T25 - T27 - 730 - T40 | | | |

4800

8'li Bits Takım (Kısa) Bit Set (Short 8 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | | TL/Ad. |
|-------------------------|-------------------|-----|---|--------|
| 4800 00 8208 | 0.6x4.5 - 0.8x5.5 | 150 | 8 | 35.03 |
| | Ph1 - Ph2 - Ph3 | | | |
| | T27 | | | |
| | 6.3 x 60 Adaptör | | | |
| 6.3 x 30 Bits tornavida | | | | |

31'li Bits Takım Kutulu

Bit Set In Metal Case (31 Pcs)




| KOD CODE | İÇERİK CONTENTS | g | | TL/Ad. |
|--------------|-------------------|-----|-------|--------|
| 4800 00 6131 | 0.6x4.5 - 0.8x5.5 | 385 | 6 - 6 | 60.81 |
| | 1.2x6.5 | | | |
| | Ph1 | | | |
| | Ph2 - Ph3 | | | |
| | T27 | | | |
| | T25 - T30 - T40 | | | |
| | 6.3 x 60 Adaptör | | | |
| 3 - 3 | | | | |
| 4 | | | | |
| 3 | | | | |
| 2 | | | | |
| 1-1-1 | | | | |
| 1 | | | | |

4800

8'li Bits Takım (Uzun) Bit Set (Long 8 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | | TL/Ad. |
|--------------|--------------------------|-----|---|--------|
| 4800 00 8108 | 0.6x4.5 - 0.8x5.5 | 155 | 8 | 31.79 |
| | Ph1 - Ph2 - Ph3 | | | |
| | T27 - T30 | | | |
| | 6.3 x 120 Bits tornavida | | | |



4900

Allen Anahtar Altı Köşe (mm)
Hex Key Wrench (mm)

TS ISO 2936



Krom vanadyum, Nikel kaplı
Chrom vanadium, Nickel Plated

| KOD CODE | mm | L mm | L1 mm | g | TL/Ad. | |
|--------------|-----|------|-------|-----|--------|-------|
| 4900 22 0015 | 1.5 | 45 | 14 | 1.5 | 10 | 0.88 |
| 4900 22 0020 | 2 | 50 | 16 | 2 | 10 | 1.06 |
| 4900 22 0025 | 2.5 | 55 | 18 | 4 | 10 | 1.29 |
| 4900 22 0030 | 3 | 60 | 20 | 6 | 10 | 1.45 |
| 4900 22 0035 | 3.5 | 66 | 22 | 8 | 10 | 1.80 |
| 4900 22 0040 | 4 | 73 | 24 | 10 | 10 | 1.85 |
| 4900 22 0050 | 5 | 80 | 28 | 20 | 10 | 1.92 |
| 4900 22 0060 | 6 | 86 | 30 | 30 | 10 | 2.53 |
| 4900 22 0070 | 7 | 92 | 32 | 40 | 10 | 3.76 |
| 4900 22 0080 | 8 | 98 | 34 | 55 | 10 | 3.95 |
| 4900 22 0090 | 9 | 104 | 36 | 75 | 10 | 4.90 |
| 4900 22 0100 | 10 | 112 | 40 | 100 | 10 | 6.06 |
| 4900 22 0120 | 12 | 120 | 45 | 160 | 10 | 7.70 |
| 4900 22 0140 | 14 | 137 | 53 | 250 | 5 | 13.28 |
| 4900 22 0160 | 16 | 155 | 60 | 375 | 5 | 21.55 |
| 4900 22 0170 | 17 | 155 | 60 | 425 | 5 | 23.47 |
| 4900 22 0190 | 19 | 174 | 67 | 610 | 5 | 30.62 |

4900

Allen Anahtar Takım Altı Köşe (mm)
Hex Key Wrench Set (mm)




| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. | |
|--------------|--|-----|--------|-------|
| 4900 00 3110 | 2 - 2.5 - 3 - 4 - 5 - 6 7 - 8 - 9 - 10 | 400 | 10 | 28.77 |
| 4900 00 3112 | 2 - 2.5 - 3 - 3.5 - 4 - 5 6 - 7 - 8 - 9 - 10 - 12 | 565 | 12 | 38.27 |

4901

Allen Anahtar Altı Köşe (SAE)
Hex Key Wrench (SAE)

TSEK



Krom vanadyum, Nikel kaplı
Chrom vanadium, Nickel Plated

| KOD CODE | inch | L mm | L1 mm | g | TL/Ad. | |
|--------------|-------|------|-------|-----|--------|-------|
| 4901 22 1984 | 5/64" | 50 | 16 | 2 | 10 | 1.43 |
| 4901 22 2381 | 3/32" | 54 | 18 | 4 | 10 | 1.55 |
| 4901 22 3125 | 1/8" | 58 | 20 | 5 | 10 | 1.90 |
| 4901 22 3968 | 5/32" | 62 | 22 | 10 | 10 | 2.30 |
| 4901 22 4762 | 3/16" | 68 | 24 | 15 | 10 | 2.40 |
| 4901 22 5556 | 7/32" | 74 | 26 | 25 | 10 | 3.20 |
| 4901 22 6350 | 1/4" | 82 | 28 | 35 | 10 | 3.70 |
| 4901 22 7937 | 5/16" | 94 | 32 | 55 | 10 | 4.90 |
| 4901 22 9825 | 3/8" | 106 | 38 | 90 | 10 | 6.42 |
| 4901 22 1111 | 7/16" | 118 | 42 | 130 | 10 | 8.62 |
| 4901 22 1270 | 1/2" | 132 | 46 | 190 | 10 | 9.88 |
| 4901 22 1428 | 9/16" | 144 | 52 | 265 | 10 | 14.44 |
| 4901 22 1587 | 5/8" | 156 | 58 | 365 | 10 | 22.11 |
| 4901 22 1905 | 3/4" | 176 | 66 | 600 | 5 | 30.10 |

4901

Allen Anahtar Takım Altı Köşe (SAE)
Hex Key Wrench Set (SAE)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. | |
|--------------|---|-----|--------|-------|
| 4901 00 3110 | 5/64" - 3/32" - 1/8" - 5/32" 3/16" - 7/32" - 1/4" - 5/16" 3/8" - 7/16" | 405 | 10 | 36.42 |
| 4901 00 3112 | 5/64" - 3/32" - 1/8" - 5/32" 3/16" - 7/32" - 1/4" - 5/16" 3/8" - 7/16" - 1/2" - 9/16" | 855 | 12 | 60.74 |

4903

Allen Anahtar Altı Köşe Uzun Boy (mm)
Hex Key Wrench Long Pattern (mm)

TS ISO 2936



Krom vanadyum, Nikel kaplı
Chrom vanadium, Nickel Plated

| KOD CODE | mm | L mm | L1 mm | g | TL/Ad. | |
|--------------|-----|-------|-------|-----|--------|-------|
| 4903 22 0020 | 2 | 100 | 16 | 3 | 10 | 1.44 |
| 4903 22 0025 | 2.5 | 112 | 18 | 5 | 10 | 1.77 |
| 4903 22 0030 | 3 | 126 | 20 | 10 | 10 | 2.00 |
| 4903 22 0035 | 3.5 | 136.5 | 22 | 15 | 10 | 2.48 |
| 4903 22 0040 | 4 | 140 | 25 | 20 | 10 | 2.53 |
| 4903 22 0050 | 5 | 160 | 28 | 30 | 10 | 2.64 |
| 4903 22 0060 | 6 | 180 | 32 | 50 | 10 | 3.48 |
| 4903 22 0070 | 7 | 190 | 41 | 80 | 10 | 5.18 |
| 4903 22 0080 | 8 | 200 | 44 | 100 | 10 | 5.42 |
| 4903 22 0090 | 9 | 210 | 47 | 145 | 10 | 6.73 |
| 4903 22 0100 | 10 | 224 | 50 | 180 | 10 | 8.32 |
| 4903 22 0120 | 12 | 250 | 57 | 285 | 10 | 10.59 |

4903


Allen Anahtar Takım Altı Köşe Uzun Boy (mm)
Hex Key Wrench Set Long Pattern (mm)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. | |
|--------------|--|-----|--------|-------|
| 4903 00 3110 | 2 - 2.5 - 3 - 4 - 5 - 6 7 - 8 - 9 - 10 | 660 | 10 | 39.51 |
| 4903 00 3112 | 2 - 2.5 - 3 - 3.5 - 4 - 5 6 - 7 - 8 - 9 - 10 - 12 | 940 | 12 | 52.58 |

4905

Yuvarlak Başlı Allen Anahtar (mm)
Hex Key Wrench Ballpoint (mm)



Krom vanadyum, Siyah oksit kaplı
Chrom vanadium, Black finish

| KOD CODE | mm | L mm | L1 mm | g | TL/Ad. | |
|--------------|-----|------|-------|-----|--------|------|
| 4905 22 0020 | 2 | 50 | 16 | 3 | 10 | 1.39 |
| 4905 22 0025 | 2.5 | 56 | 18 | 4 | 10 | 1.67 |
| 4905 22 0030 | 3 | 63 | 20 | 5 | 10 | 1.90 |
| 4905 22 0040 | 4 | 70 | 25 | 10 | 10 | 2.39 |
| 4905 22 0050 | 5 | 80 | 28 | 20 | 10 | 2.51 |
| 4905 22 0060 | 6 | 90 | 32 | 30 | 10 | 3.31 |
| 4905 22 0080 | 8 | 100 | 36 | 55 | 10 | 5.15 |
| 4905 22 0100 | 10 | 112 | 40 | 100 | 10 | 7.91 |

4905

Yuvarlak Başlı Allen Anahtar Takımı (8 Parça, mm)
Hex Key Wrench Ballpoint Set (8 Pcs, mm)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. | |
|--------------|-----------------------------------|-----|--------|-------|
| 4905 00 7108 | 2 - 2.5 - 3 - 4 5 - 6 - 8 - 10 | 275 | 8 | 26.23 |

4912

Kaset Allen Anahtar Takımı (7 Parça, mm)
Hex Key Wrench Folding Set (7 Pcs, mm)




Krom vanadyum, Krom kaplı
Chrom vanadium, Chrom finish

| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. | |
|--------------|------------------------------|-----|--------|-------|
| 4912 00 3107 | 2.5 - 3 - 4 - 5 - 6 - 8 - 10 | 355 | 1 | 26.46 |



4910

Torx® Allen Anahtar
Torx® Key Wrench



Krom vanadyum, Siyah oksit kaplı
Chrom vanadium, Black finish

| KOD CODE | ★ | L mm | L1 mm | g | □ | TL/Ad. |
|--------------|-----|------|-------|-----|----|--------|
| 4910 22 0006 | T6 | 42 | 16 | 2 | 10 | 6.34 |
| 4910 22 0007 | T7 | 48 | 16 | 2 | 10 | 6.34 |
| 4910 22 0008 | T8 | 48 | 16 | 3 | 10 | 6.34 |
| 4910 22 0009 | T9 | 48 | 16 | 3 | 10 | 6.40 |
| 4910 22 0010 | T10 | 51 | 17 | 4 | 10 | 6.40 |
| 4910 22 0015 | T15 | 54 | 18 | 5 | 10 | 6.59 |
| 4910 22 0020 | T20 | 57 | 19 | 5 | 10 | 6.91 |
| 4910 22 0025 | T25 | 60 | 20 | 10 | 10 | 6.91 |
| 4910 22 0027 | T27 | 64 | 21 | 15 | 10 | 6.91 |
| 4910 22 0030 | T30 | 70 | 24 | 20 | 10 | 7.42 |
| 4910 22 0040 | T40 | 76 | 26 | 30 | 10 | 7.87 |
| 4910 22 0045 | T45 | 83 | 29 | 40 | 10 | 9.71 |
| 4910 22 0050 | T50 | 95 | 32 | 60 | 10 | 11.07 |
| 4910 22 0055 | T55 | 108 | 35 | 125 | 10 | 15.39 |
| 4910 22 0060 | T60 | 120 | 38 | 185 | 10 | 21.23 |

4910


Torx® Allen Anahtar Takımı (8 Parça)
Torx® Key Wrench Set (8 Pcs)



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|--|-----|---|--------|
| 4910 00 7108 | T9 - T10 - T15 T20 - T25 - T27 T30 - T40 | 155 | 8 | 55.41 |

4920

T Tipi Allen Anahtar (mm)
Hex Key Wrench T - Handle (mm)



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrom vanadium, Chrom plated and black tips, PP handle

| KOD CODE | mm | L mm | L1 mm | g | □ | TL/Ad. |
|--------------|-----|------|-------|-----|---|--------|
| 4920 22 0025 | 2.5 | 100 | 13 | 20 | 5 | 9.87 |
| 4920 22 0030 | 3 | 100 | 13 | 23 | 5 | 10.00 |
| 4920 22 0040 | 4 | 150 | 15 | 45 | 5 | 11.25 |
| 4920 22 0050 | 5 | 150 | 15 | 58 | 5 | 12.04 |
| 4920 22 0060 | 6 | 200 | 17 | 100 | 5 | 13.77 |
| 4920 22 0070 | 7 | 200 | 17 | 125 | 5 | 14.44 |
| 4920 22 0080 | 8 | 200 | 17 | 150 | 5 | 14.83 |
| 4920 22 0100 | 10 | 200 | 22 | 240 | 5 | 25.76 |

4920


T Tipi Allen Anahtar Takımı (8 Parça, mm)
Hex Key Wrench T - Handle Set (8 Pcs, mm)



| KOD CODE | İÇERİK CONTENTS | g | □ | TL/Ad. |
|--------------|-----------------------------------|-----|---|--------|
| 4920 00 8108 | 2.5 - 3 - 4 - 5 6 - 7 - 8 - 10 | 760 | 8 | 111.96 |

4921

Yuvarlak Başlı T Tipi Allen Anahtar (mm)
Hex Key Wrench T - Handle Ballpoint (mm)



Krom vanadyum, Krom kaplı, Ucu siyah oksit, PP saplı
Chrom vanadium, Chrom plated and black tips, PP handle

| KOD CODE | mm | L mm | L1 mm | g | TL/Ad. |
|--------------|-----|------|-------|-----|---------|
| 4921 22 0025 | 2.5 | 100 | 13 | 20 | 5 12.81 |
| 4921 22 0030 | 3 | 100 | 13 | 23 | 5 12.98 |
| 4921 22 0040 | 4 | 150 | 15 | 45 | 5 14.62 |
| 4921 22 0050 | 5 | 150 | 15 | 58 | 5 15.66 |
| 4921 22 0060 | 6 | 200 | 17 | 100 | 5 17.90 |
| 4921 22 0070 | 7 | 200 | 17 | 125 | 5 18.77 |
| 4921 22 0080 | 8 | 200 | 17 | 150 | 5 19.28 |
| 4921 22 0100 | 10 | 200 | 22 | 235 | 5 33.48 |

4921

Yuvarlak Başlı T Tipi Allen Anahtar Takımı (8 Parça, mm)
Hex Key Wrench T - Handle Ballpoint Set (8 Pcs, mm)



| KOD CODE | İÇERİK CONTENTS | g | TL/Ad. |
|--------------|-----------------------------------|-----|----------|
| 4921 00 8108 | 2.5 - 3 - 4 5 - 6 - 7 - 8 - 10 | 755 | 8 145.50 |

